

Patient: _____

Doctor: _____

Date: _____

History:

Mental Status and Behavior:

Posture:

Gait:

Cranial Nerves:

	<u>L</u>	<u>R</u>
Olfactory (I)		
Menace Response		
Optic (II)		
PLR (III) – direct		
PLR (III) – consensual		
Palpebral (V, VII)		
Facial symmetry (VII)		
Jaw tone/ temporalis m (V)		
Oculocephalic (III, IV, VI, VIII)		
Strabismus (+/- VII)		
Nystagmus (+/- VII)		
Gag (IX, X)		
Spinal Accessory (XI)		
Tongue (XII)		

Postural Reactions:

(0-absent, 1-decreased, 2-normal)

Proprioception	LF	RF	LH	RH
Hopping	LF	RF	LH	RH
Wheelbarrow	LF	RF	LH	RH
Hemiwalking	LF	RF	LH	RH
Visual placing	LF	RF	LH	RH
Tactile placing	LF	RF	LH	RH
Stairs	LF	RF	LH	RH
Extensor Postural Thrust			LH	RH

Superficial & Deep Pain Sensation:

Spinal reflexes:

(0-absent, 1-decreased, 2-normal, 3-increased, 4-clonic)

Flexor (front) L _____ R _____
 Biceps L _____ R _____
 Triceps L _____ R _____

Patellar L _____ R _____
 Flexor (rear) L _____ R _____
 Gastrocnemius L _____ R _____
 Cranial tibial L _____ R _____
 Crossed extensor L _____ R _____
 Cutaneous trunci L _____ R _____

Anal tone/Perineal sensation:

Tail tone:

Palpation:

Cervical spine:
 Thoracic spine:
 Lumbar spine:
 Sacral spine:
 Musculature:
 Hyperesthesia:

Neuroanatomic Localization:

Differential Diagnosis:

D- degenerative
 A- anomalous (congenital)
 M- metabolic
 N- neoplastic, nutritional
 I- inflammatory, infectious, idiopathic
 immune-mediated, iatrogenic,
 T- traumatic, toxic
 V- vascular

Plan: