Office Use Only
APPL
RAD
CK



Orthopedic Foundation for Animals

2300 E Nifong Blvd, Columbia, MO 65201 Phone (573) 442-0418 | Fax (573) 875-5073 Email: ofa@offa.org | Website: www.ofa.org A Not-for-Profit Organization

Office
Use
Only

Application for Congenital Deafness Database

Registered name:			AKC registration number:	Other registry na	ime:			
				Other registry #:				
Breed:		Sex:	Date of birth (MM/DD/YY):					
Microchip/tattoo:	:hip/tattoo:			Registration number of sire: Registration number of dam:				
Owner name:			Date of current evaluation (MM/DD/YY):					
Co-owner name:			Examining veterinary clinic:					
Mailing address:			Mailing address:					
	1.	1						
City:	State:	Zip/postal code:	City:	State:	Zip/postal code:			
Phone:	E-mail:			E-mail:				
	·	2			<u>-</u>			
A photoc Veterinary Instructions The Brainstem Auditory Evoked Research and the stimular st	sopy of the te sponse (BAER) test tion transducer ma	st result is re is the only accept by be used in	neurologists, but will ac	est be performed by b cept test results from	ooard certi⊠ed veterinary experienced veterinar-			
A photoc Veterinary Instructions The Brainstem Auditory Evoked Remethod of diagnosis. Bone stimular addition when conduction deafnes	sopy of the te sponse (BAER) test tion transducer ma	st result is re is the only accept by be used in	ed OFA recommends this to	est be performed by b cept test results from essionals, and audiolo	ooard certi⊠ed veterinary experienced veterinar-			
A photoc Veterinary Instructions The Brainstem Auditory Evoked Remethod of diagnosis. Bone stimular addition when conduction deafnes	sponse (BAER) test tion transducer mass is suspected. Pu	is the only accept by be used in ppies must be at	ed OFA recommends this to neurologists, but will ac ians, neuroscience profe	est be performed by b cept test results from essionals, and audiolo nimal.	ooard certi⊠ed veterinary experienced veterinar-			
A photocological Processing A	sponse (BAER) test tion transducer mass is suspected. Pu	is the only accept by be used in ppies must be at	ed OFA recommends this to neurologists, but will ac- ians, neuroscience profe for the lifetime of the an	est be performed by b cept test results from essionals, and audiolo nimal.	ooard certi⊠ed veterinary experienced veterinar-			
A photocomplete A photocomplete A photocomplete Auditory Evoked Resemble Auditory Evoked Resemble Audition When conduction deafnest addition when conduction deafnest as 5 days old. Hearing (Normal)	sponse (BAER) test tion transducer mass is suspected. Pull Bilateral hearing Equivocal	is the only accept by be used in ppies must be at g passes the test. U	ed OFA recommends this to neurologists, but will ac- ians, neuroscience profe for the lifetime of the an Unilateral or bilateral deafr	est be performed by k cept test results from essionals, and audiolo nimal. ness fails. Bilateral	ooard certi⊠ed veterinary experienced veterinar- gists. One test suffices			
A photocomplete A photocomplete A photocomplete Auditory Evoked Resemble Auditory Evoked Resemble Audition When conduction deafnest addition when conduction deafnest as 5 days old. Hearing (Normal)	sponse (BAER) test tion transducer mass is suspected. Pull Bilateral hearing Equivocal	is the only accept by be used in ppies must be at g passes the test. U	ed OFA recommends this to neurologists, but will ac ians, neuroscience profe for the lifetime of the an Unilateral or bilateral deafo	est be performed by k cept test results from essionals, and audiolo nimal. ness fails. Bilateral	poard certi⊠ed veterinary experienced veterinar- gists. One test suffices Unilateral			
A photoc Veterinary Instructions The Brainstem Auditory Evoked Remethod of diagnosis. Bone stimular addition when conduction deafnest least 35 days old. Hearing (Normal) I certify that the above result is valid Microchip/tattoo Verification: Veterinarian/Audiologist Signature	sponse (BAER) test tion transducer mass is suspected. Pur Bilateral hearing Equivocal d for this animal I DID verify c	is the only accept by be used in ppies must be at g passes the test. Use on this dog	ed OFA recommends this to neurologists, but will actions, neuroscience profes for the lifetime of the and inilateral or bilateral deafror Deaf Deaf DID (verify on all puppies on an	est be performed by becept test results from essionals, and audiologimal. The ess fails. Bilateral ttached litter form)	poard certi⊠ed veterinary experienced veterinar- gists. One test suffices Unilateral I DID NOT verify Date wned/co-owned by the			
Veterinary Instructions The Brainstem Auditory Evoked Remethod of diagnosis. Bone stimular addition when conduction deafnes least 35 days old. Hearing (Normal) I certify that the above result is valid Microchip/tattoo Verification: Veterinarian/Audiologist Signature Per dog	sponse (BAER) test tion transducer mass is suspected. Pur Bilateral hearing Graph Equivocal d for this animal I DID verify out ed together	is the only accept by be used in ppies must be at g passes the test. Use on this dog	ed OFA recommends this to neurologists, but will actions, neuroscience profes for the lifetime of the and initiateral or bilateral deafrom Deaf DID (verify on all puppies on a cialty Kennel Rate, individuals same person Minimum of 5 individuals	est be performed by becept test results from essionals, and audiologimal. The sess fails. Bilateral ttached litter form)	poard certi⊠ed veterinary experienced veterinargists. One test suffices Unilateral □ I DID NOT verify □ Date wned/co-owned by the\$10.00 each			

Examination protocol

- BAER testing is done on canines at least 35 days old.
- A signal sound pressure level between 70 and 105 db is used to obtain a response with peaks I and V judged present at their appropriate latencies.
- Insert earphones will be used.
- Chemical restraint is optional.
- The test is done in such a manner that movement will not cause an artifact that could be mistaken for a response to a stimulus.
- At least 200 clicks will be used to obtain the response.

- A masking tone is not considered necessary if recordings are made with electrodes positioned along the midline and in the ipsilateral mastoid region; a masking tone is necessary if the electrodes are placed along the midline at the vertex and the T-1.
- Under appropriate circumstances when an ear tests as deaf using air-conducted stimuli, and
 the possibility of conduction deafness exists (chronic otitis, excess ear wax accumulation),
 repeat testing with a bone stimulation transducer is recommended.
- A printed copy of the BAER Test tracing will be provided to the owner and the OFA.
- The Printed copy of the BAER tracing must contain the dog's name or identification linking it to this application.

Litter Submission Form

Registration number of sire

Litter registration number

Registration number of dam

S	dВ											
Test Results	Left ear Right ear											
Т	Left ear											
Right eye	color											
Left eye	color color											
Patch												
Color												
Sex												
Chip/	Tattoo											
Name/Identi⊠er												
Litter-	mate #	/01	/02	/03	/04	/05	90/	/0/	80/	60/	/10	/11